

scala



Furniture with the wow factor. Freedom is a wonderful thing – especially within your own four walls. This is what Scala gives you: lowboards in numerous versions. Integrated sound systems and convenient streaming options ensure that you will never be bored even after setting up. Beautiful to look at. Scala.

Made in Germany.



Scala System

Scala	<p>Scala is a system furniture for individual lowboards, with flap or drawer and lots of storage space for your technology.</p> <p>The system consists of numerous elements that can be lined up. The 4 mm glass or Fenix® surface is mounted on the supporting cabinet. This allows a high variety of surfaces and colours.</p> <p>With drawers or flaps, Scala is suitable for all living areas. With its high flexibility, sensible options and customization, Scala can meet many individual wishes and integrate almost all technical components. The possibilities are virtually unlimited.</p> <p>Like all Spectral furniture, Scala is manufactured in Pleidelsheim in southern Germany.</p>
Design	<p>A characteristic feature of Scala is the 4 mm edge around the glass or Fenix® surface, as well as the continuous aluminum handle strip. The handle strip can be selected in anodized aluminum, painted black or painted in the colour of your choice.</p>
System & grid	<p>Different variants with flaps or drawers for lining up. Top plates and side panels are included in the basic price. A continuous top plate is available for combinations.</p> <p>Width grid: 56,8 cm, 111,0 cm, 165,2 cm, 200,0 cm, 265,0 cm Height grid: 21,1 cm, 30,4 cm, 45,8 cm Depth grid: 48,2 cm</p>
Tailor-made options	<p>Each element can be individually shortened and extended in width, height and depth. See also section Tailor-made options.</p>
Cabinet	<p>Solid construction with 16 mm wall thickness and 8 mm back wall, doweled and glued, for maximum stability. The cabinet surface Sand is black fine-textured, exceptionally robust and easy to clean.</p>
Shelves	<p>Glass shelves made of 6 mm safety glass are included. For special dimensions, the shelves are made of 16 mm cabinet material.</p>
Top plates	<p>Top plates and side panels are included in the basic price. For combinations a continuous top plate is available. Depending on the surface, different maximum widths result. Colour glass, metallic glass and design glass up to 350,0 cm, Fenix® up to 300,0 cm.</p>
Mechanics & function	<p>Pull mechanism with handle strip. Drawer mechanism with soft-close and flap dampers of the highest quality.</p>
Installation types	<p>Standard: Edge foot, Stick foot, castors or wall mounting are included in the basic price. Foot frames: Bridge and Blade are optionally selectable.</p> <p>Base colour for foot frames and Edge feet is black. Base colour for Stick feet is black and brushed aluminum. All feet and foot frames can optionally be painted in desired colour from the NCS or Sikkens 5051 colour ranges.</p>
Room divider	<p>Scala can also be placed freely in the middle of the room. In this case, the surface is also mounted on the back. The rear side is fully clad on each element.</p>

TV integration

TVs can be elegantly integrated with the rotating TV mount. The cable is routed invisibly in the column. There are two TV adapters to choose from: VESA adapter (for TV with VESA standard up to 400 x 400 mm) and Universal TV adapter, with which any TV can be mounted. Alternatively, TVs with feet can be placed on the top plate, the cable routing is then can be done with a cable opening in the cabinet. With a TV wall mount from Spectral, the TV can also be mounted on the wall, in this case, on-site cable routing in the wall is recommended.

Sound integration

Scala offers two variants for sound integration. In both variants, the flap is covered with acoustic fabric, which allows the sound to escape unhindered.

Soundbar integration. Soundbar or subwoofer can be placed behind the fabric flap.
Spectral sound system integration. Behind the fabric flap there is a receptacle for the Spectral loudspeaker systems and other technical components.

Lighting

Indirect LED lighting on the rear edge of the furniture. The LED strips can be individually planned at the top, bottom and sides. The LED lighting is dimmable and can be operated by remote control or app. The light colour is warm white [3200 Kelvin].

Wireless Charging

All current smartphones with Qi standard can be charged wirelessly with Smart Charge. The charging element is invisibly integrated under the surface. A discreet marking shows the area on which charging is possible.

Cable management

The units in a row are connected with a cable aperture, so that wiring between the units is possible without any problems. In this way, technical elements can also be integrated in different cabinets. The cable aperture at the top can be selected; it is standard in the cabinet base.

Surfaces

Colour glass. Colour glass consists of a 4 mm safety glass plate. The paint finish is applied to the underside. The glass surface is very hard, scratch resistant and easy to clean. There are 5 base colours to choose from as well as over 2,000 custom colours. This can be selected from the NCS or Sikkens 5051 colour chart (most RAL colours are available on request). The glass surface can be selected in gloss or satin (matt).

Metallic glass. Metallic glass has the same properties as colour glass and is available in 6 chic metallic colours. The glass surface can be selected gloss or satin (matt).

Design glass. Design glass consists of a 4 mm safety glass plate. A high-resolution digital print is applied to the underside. The surface is brilliant and visually indistinguishable from a natural motif. Design glass is very hard, scratch resistant and easy to clean. Design glass is only 4 mm thin and therefore appears light and elegant. The glass surface can be chosen glossy or satin (matt). Satinized glass renders the motif blurred, but thus appears discreet and restrained.

Design glass is only available for top plates.

Fenix®. Fenix® is an extremely matt nanotech material, the surface is particularly regal and has a velvety touch. It is also resistant to fingerprints. We process Fenix® in the elegant 4 mm thickness. This allows for a particularly light and intricate design. Fenix® is available in 6 harmonious colours.

Acoustic fabric flaps. Flaps can also be selected with acoustic fabric.

Price groups

The surfaces are divided into two price groups.

Price group 1: Colour glass and metallic glass

Price group 2: Design glass and Fenix®

1.1 Lowboards with storage height 21,1 cm

Scala Lowboards with flap or drawer.






All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected, the position of the side panels must be specified (L for left, R for right, LR for left and right).

Options such as TV mount, subwoofer opening or LED lighting see section 5 and 6. Optional flap (standard) or drawer (surcharge). Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

Options and accessories at a glance

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	
Room divider panel	•	
Fabric flap	•	
Smart Light	•	•

Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Int. dimensions (cm)		
			Width	Height	Depth
	SC562	SL = Drawer	52,6	17,5	43,4
		KL = Flap	48,4	13,5	27,4
	SC1120	SL = Drawer	52,6	17,5	43,4
		KL = Flap	48,4	13,5	27,4
	SC1620	SL = Drawer	52,6	17,5	43,4
		KL = Flap	48,4	13,5	27,4
	SC2020	SL = Drawer	64,2	17,5	43,4
		KL = Flap	60,0	13,5	27,4
	SC2620	SL = Drawer	20,4	17,5	43,4
		KL = Flap	20,4	17,5	43,4
		SL = Drawer	52,6	17,5	43,4
		KL = Flap	48,4	13,5	27,4

1.2 Lowboards with storage height 30,4 cm

Scala Lowboards with flap or drawer.

All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected, the position of the side panels must be specified (L for left, R for right, LR for left and right).

Options such as TV mount, subwoofer opening or LED lighting see section 5 and 6. Optional flap (standard) or drawer (surcharge). Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

Options and accessories at a glance

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	•
Room divider panel	•	•
Fabric flap	•	•
Smart Light	•	•

Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Int. dimensions (cm)		
			Width	Height	Depth
	SC560	SL = Drawer	52,6	26,8	43,4
		KL = Flap	48,4	22,8	27,4
	SC1100	SL = Drawer	52,6	26,8	43,4
		KL = Flap	48,4	22,8	27,4
	SC1650	SL = Drawer	52,6	26,8	43,4
		KL = Flap	48,4	22,8	27,4
	SC2000	SL = Drawer	64,2	26,8	43,4
		KL = Flap	60,0	22,8	27,4
	SC2602	SL = Drawer	20,4	26,8	43,4
		KL = Flap	20,4	26,8	43,4
		SL = Drawer	52,6	26,8	43,4
		KL = Flap	48,4	22,8	27,4

1.3 Lowboards with storage height 45,8 cm

Scala Lowboards with flap or drawer.

All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected, the position of the side panels must be specified (L for left, R for right, LR for left and right).

Options such as TV mount, subwoofer opening or LED lighting see section 5 and 6. Optional flap (standard) or drawer (surcharge). Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

Options and accessories at a glance

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	•
Room divider panel	•	•
Fabric flap	•	•
Smart Light	•	•

Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Int. dimensions (cm)		
			Width	Height	Depth
	SC567	SL = Drawer	52,6	12,0	43,4
		KL = Flap	48,4	8,0	27,4
		SL = Drawer	52,6	28,2	43,4
		KL = Flap	48,4	24,2	27,4
	SC1107	SL = Drawer	52,6	12,0	43,4
		KL = Flap	48,4	8,0	27,4
		SL = Drawer	52,6	28,2	43,4
		KL = Flap	48,4	24,2	27,4
	SC1657	SL = Drawer	52,6	12,0	43,4
		KL = Flap	48,4	8,0	27,4
		SL = Drawer	52,6	28,2	43,4
		KL = Flap	48,4	24,2	27,4

1.4 Lowboards for soundbar integration

Scala Lowboards with fabric flap to accommodate soundbar, subwoofer and technology components. Available in three heights: 21,1cm, 30,4cm and 45,8cm. All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected, the position of the side panels must be specified [L for left, R for right, LR for left and right].

Options such as TV mount, subwoofer opening or LED lighting. See section 5 and 6. Lowboards height 45,8 cm optionally with flap (standard) or drawer (surcharge) on top. Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).




The levels for the soundbar integration have a fabric flap.

Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

Options and accessories at a glance

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	•
Room divider panel	•	•
Fabric flap (top)	•	•
Smart Light	•	•

a = max. dimension below soundbar
 b = Dimension behind soundbar
 c = max. dimension of soundbar

Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Internal dimensions (cm)		
			Width	Height	Depth
	SC1124	KL = Flap	52,6	3,8	43,4
a					
b					
	SC1624	KL = Flap	52,6	3,8	43,4
a					
b					
	SC2024	KL = Flap	64,2	3,8	43,4
a					
b					
	SC1104	KL = Flap	52,6	13,1	43,4
a					
b					

1.4 Lowboards for soundbar integration







Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Internal dimensions (cm)		
			Width	Height	Depth
	SC1654	SL = Drawer KL = Flap	52,6	13,1	43,4
a					
b					
	SC2004	SL = Drawer KL = Flap	64,2	13,1	43,4
a					
b					
	SC1106	SL = Drawer KL = Flap	52,6	14,5	43,4
a					
b					
c					
f = KL					
	SC1656	SL = Drawer KL = Flap	52,6	14,5	43,4
a					
b					
c					
d					
e					

1.5 Lowboards for Spectral sound systems



Scala Lowboards with fabric flap to accommodate the Spectral sound system SCA3, BRA3 or VRA3 or the Spectral speaker BRP1 or VRP1.
Available in three heights: 21,1 cm, 30,4 cm and 45,8 cm.
All lowboards have a cable opening in the top plate and between the elements as standard and are delivered including the side panels. If several elements are connected the position of the side panels must be specified (L for left, R for right, LR for left and right).

Options like TV mount, subwoofer opening or LED lighting see section 5 and 6.
Lowboards height 45,8 cm optionally with flap (standard) or drawer (surcharge) on top.
Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

The levels for the sound system integration have a fabric flap.
Mixing of PG1 and PG2 surfaces is possible. For price calculation see section 3.

Options and accessories at a glance

	with flap	with drawer
TV mount	•	•
Cable opening in the top plate	•	•
Smart Charge	•	•
Subwoofer opening	•	•
Room divider panel	•	•
Fabric flap (top)	•	•
Smart Light	•	•

Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Internal dimensions (cm)		
			Width	Height	Depth
	SC1121	KL Matching Spectral sound systems: SCA3 / BRA3 / BRP1	111,0	21,1	48,2
	SC1621	a = KL Matching Spectral sound systems: SCA3 / BRA3 / BRP1	165,2	21,1	48,2
	SC2021	a = KL Matching Spectral sound systems: SCA3 / BRA3 / BRP1	200,0	21,1	48,2
	SC2621	KL Matching Spectral sound systems: VRA3 / VRP1	265,0	21,1	48,2
	SC1101	a = KL b = KL Matching Spectral sound systems: SCA3 / BRA3 / BRP1	111,0	30,4	48,2

1.5 Lowboards for Spectral sound systems

Scala Lowboards for Spectral sound systems are only available in combination with a Spectral sound system or a Spectral loudspeaker.
An amplifier is required for the BRP1 and VRP1 passive speakers.
We recommend using a Sonos Amp.
For prices and technical data on sound systems and speakers, see sound systems chapter.









Image Ext. dimensions (cm) incl. side panels and top plate	Article	Function	Internal dimensions (cm)		
			Width	Height	Depth
	SC1651	a = KL b = KL Matching Spectral sound systems: SCA3 / BRA3 / BRP1	165,2	30,4	48,2
	SC2001	a = KL b = KL Matching Spectral sound systems: SCA3 / BRA3 / BRP1	200,0	30,4	48,2
	SC2600	a = KL b = KL Matching Spectral sound systems: VRA3 / VRP1	265,0	30,4	48,2
	SC1108	a = KL b = KL c = KL c = SL Matching Spectral sound systems: SCA3 / BRA3 / BRP1	111,0	45,8	48,2
	SC1658	a = KL b = KL c = KL c = SL Matching Spectral sound systems: SCA3 / BRA3 / BRP1	165,2	45,8	48,2

2. Tailor-made options



With Scala you have options for customization. Tailor-made according to your ideas, custom carpentry for your home. Popular changes are in the table below.

* For dimension changes and continuous top plates please use the furnplan planning software. A separate request and written quotation is not required for this. For further options and information, please visit our website at www.spectral.eu/tailor-made or inquire directly with our customer service by e-mail at info@spectral.eu.

Type of change	Remarks
Dimension change * [1 charge for all dimension changes per combination]	For elements with colour glass, metallic glass oder design glass
Dimension change * [1 charge for all dimension changes per combination]	For elements with surface Fenix®
Special glass	For example: cable outlet at rear edge glass top plate
Change interior layout S	Small change, e.g. shorten center bar
Change interior layout L	Major change, such as customization or division
Alter position of the TV-mount	
Modification TV-column	Change height, add drill holes etc.
Add steel reinforcement	From clear width 67,0 cm
Cable outlet / cutout in the wooden cabinet D = 6,0cm, position according to sketch	Price per additional cutout or omission of a cutout
Cable outlet / cutout in the wooden cabinet individual according to sketch	Price per cutout
Reposition wall mount bracket	

3. Individual price calculation

The basic price PG1 applies to colour glass and metallic glass. Fronts, side panels and top plates can be specified with Fenix®. Design glass is only available for top plates.

For colours and surfaces, see section 8.

RT = Room divider rear panel

Image	Surcharge article
	Design glass is available exclusively for top plates
	Surcharge PG2 front/RT SC562
	Surcharge PG2 front/RT SC1120 / SC1121 / SC1124
	Surcharge PG2 front/RT SC1620 / SC1621 / SC1624
	Surcharge PG2 front/RT SC2020 / SC2021 / SC2024
	Surcharge PG2 front/RT SC2620 (per front)
	Surcharge PG2 front/RT SC560 / front SC567 below
	Surcharge PG2 front/RT SC1100 / front SC1107 below
	Surcharge PG2 front/RT SC1650 / RT 1651, 1654 / front SC1657 below
	Surcharge PG2 front/RT SC2000
	Surcharge PG2 front/RT SC2602 (per front)
	Surcharge PG2 front SC567 top
	Surcharge PG2 front SC1106, SC1107, SC1108 top
	Surcharge PG2 front SC1656, SC1657, SC1658 top
	Surcharge PG2 RT SC567
	Surcharge PG2 RT SC1106 / SC1107 / SC1108
	Surcharge PG2 RT SC1656 / SC1657 / SC1658
	Surcharge side panel height 21,0cm
	Surcharge side panel height 30,4cm
	Surcharge side panel height 45,8cm
	Surcharge top plate width 40,0 – 56,8cm
	Surcharge top plate width 56,9 – 111,4cm
	Surcharge top plate width 111,5 – 167,2cm
	Surcharge top plate width 167,3 – 223,0cm
	Surcharge top plate width 223,1 – 278,8cm
	Surcharge top plate width 278,9 – 350,0cm

4.1 Installation types standard

Standard installation types are included in the basic price of the furniture element. The base colour is black matt (Stick is also possible in the surface polished aluminum). Optionally, Stick and Edge feet can also be painted in the colour of your choice according to the NCS or Sikkens 5051 colour chart.





Image	Type	Dimensions (cm)
		Height
	Stick	7,8 – 8,8
	Edge	13,0 – 13,5
	Castors Castors not possible with SC2600, SC2602, SC2620, SC2621 and lowboards with drawer or inner drawer or pull-out shelf	5,2

Image	Type	Dimensions (cm)
		Height
	Wall mounted	optional

4.2 Installation types foot frames

The base colour is black matt, all base frames can optionally be painted in desired colour according to NCS or Sikkens 5051 colour guide. The crossbars between the frame parts are always black.

All foot frames are height adjustable:
Blade: Height 16,0 cm + 0,5 cm
Bridge: Height 18,5 cm + 1,0 cm

Image	Type	Dimensions (cm)		Dimensions foot frames		
		Depth	Width	Width	Height	Depth
				Suitable for furniture		
				Dimensions foot frames		
		Blade				
	Blade with 2 frame parts	38,0 48,0	100,0 – 219,9 100,0 – 219,9	81,8 – 181,8 81,8 – 181,8	16,0 16,0	33,6 43,6
	Blade with 3 frame parts	38,0 48,0	220,0 – 360,0 220,0 – 360,0	202,8 – 322,8 202,8 – 322,8	16,0 16,0	33,6 43,6
		Bridge				
	Bridge with 2 frame parts	38,0 48,0	100,0 – 219,9 100,0 – 219,9	81,8 – 181,8 81,8 – 181,8	18,5 18,5	29,8 39,8
	Bridge with 3 frame parts	38,0 48,0	220,0 – 360,0 220,0 – 360,0	201,8 – 321,8 201,8 – 321,8	18,5 18,5	29,8 39,8
	Blade					
	Bridge					

5. Options and accessories

Image	Article	Function
	<p>Option</p> <p>TV mount TX aluminium or black TV mount TX in colour of your choice</p> <p>Available with adapter for VESA 200 x 200 to 400 x 400 or universal adapter for any TV up to VESA 600 x 400</p>	
	<p>SPMEX1</p> <p>Extension kit VESA 600 x 600 for universal adapter</p>	
	<p>ZU2093</p> <p>Universal media mount For any media components, mounting on the rear of the TV mount</p>	
	<p>Option</p> <p>Cable opening in the top plate [CA] Diameter 6,0 cm</p>	
	<p>ZU2139 Cover for cable opening, white ZU2140 Cover for cable opening, black Cable feed through possible</p>	
	<p>Option</p> <p>Subwoofer opening Incl. black fabric cover, position available in the middle, left or right compartment</p>	
	<p>ZU2231</p> <p>Subwoofer elastic buffer (4 pcs.) For optimal positioning in the furniture</p>	
	<p>Option</p> <p>Fabric flap Covered with acoustic fabric, available in black, carbon, pebble, grey, graphite or silver</p>	
	<p>Option</p> <p>Handle strip aluminium or black Handle strip in colour of your choice (price per commission)</p>	

5. Options and accessories

* Elements with drawer or inner drawer or pull-out shelf must be mounted to the wall (mounting kit is supplied).

Image	Article	Function
	<p>Option *</p> <p>Drawer [SL] instead of flap for elements w=56,8 cm Drawer [SL] instead of flap for elements w=111,0 and 265,0 cm Drawer [SL] instead of flap for elements w=165,2 and 200,0 cm</p>	
	<p>SLE01 *</p> <p>Insert for interior arrangement for drawer</p>	
	<p>SC-SL01 *</p> <p>Inner drawer with mirror front</p>	
	<p>TA01 *</p> <p>Pull-out shelf Dimension of footprint [w x d]: 44,0 cm x 41,2 cm, height: 6,4 cm Extendable by 32,0 cm Required compartment depth: min. 43,3 cm Required compartment width: - compartment without flap damper: 45,1 cm - compartment with one flap damper: 47,6 cm - compartment with two flap dampers: 50,1 cm Attention: when installing in the middle compartment (e.g. SC1650), cable management is only possible to a limited extent. We recommend installation in one of the outer compartments.</p>	
	<p>Option</p> <p>Room divider panel for width 56,8 cm Room divider panel for width 111,0 cm Room divider panel for width 165,2 cm Room divider panel for width 200,0 cm Room divider panel for width 265,0 cm Rear panel for floor standing lowboards with flap. Not possible for elements with drawer or inner drawer or pull-out shelf.</p>	

5. Options and accessories

* Smart Charge [WLC] not possible with SC2621. For SC560, SC562 and SC567 not possible with TV mount or cable opening in the top plate [CA].
 Positioned centrally for units with width 56.8 cm.
 For models with width 111,0 cm, 165,2 cm, 200,0 cm and 265,0 cm available positioned on the left and/or right.

Image	Article	Function
	Option	Continuous top plate For combinations a continuous top plate can be selected. Depending on the surface, different maximum widths result. Smart varnish and wood decor up to 275,0 cm, Fenix® up to 300,0 cm, colour glass, metallic glass and design glass up to 350,0 cm.
	ZU1933 *	Smart charge kit The Smart Charge wireless charging technology uses the common Qi standard of the Wireless Power Consortium, to which all major mobile device manufacturers adhere to.
	ZU1864	IR link system For control of audio and video equipment when furniture flap is closed.
	ZU1871	Flat europlug Flat europlug 1,5 m cable, Schuko connections (not available in the UK)
		Spectral spray A gentle foam cleaner for LED, LCD, plasma and computer screens. Also suitable for glass, metal and painted surfaces. With an anti-static microfiber cloth for swift, streak-free cleaning. Contains 300 ml.

6. Smart Light

Image	Article	Function
	LED-SC	Indirect LED lighting Price per 1 cm Lighting along rear edge of furniture. Depending on the model, the position of the LED strips can be individually planned at the top, sides and bottom. Light colour warm white, approx. 3200 Kelvin
	LED-AN2	Connection kit LED-AN2 For operation by remote control or smartphone app with dimming function. For LED strips that are 5 m or longer a second connection set is required.
		Example pricing: SC1650 The price is based on the furniture dimensions: 30,4 cm + 165,2 cm + 30,4 cm = 226,0 cm x € / cm
		Example pricing: SC1650 + SC560 The price is based on the furniture dimensions: 30,4 cm + 165,2 cm + 56,8 cm + 30,4 cm = 282,8 cm x € / cm
	ZU1873	Interior lighting LED light with motion sensor
	ZU1874	USB charger For interior lighting

7. Load

Lowboards with Stick feet, Edge feet / castors

	Max. total load (in kg) *	Max. load on top plate (in kg)
Width 56,8 – 265,0 cm	60	45

Wall mounted lowboards

	Max. total load (in kg) *	Max. load on top plate (in kg)
Width 56,8 – 265,0 cm	50	45

Lowboards / combinations with foot frames

	Max. total load for each foot frame (in kg) *	Max. load on top plate (in kg)
Foot frame with 2 frame parts	60	45
Foot frame with 3 frame parts	80	45

Drawer

	Max. load for each drawer compartment (in kg)
SL	20

Pull-out shelf

	Max. load on pull-out shelf (in kg)
TA01	20

Glass shelves

	Max. load for each glass shelf (in kg)
Glass shelf	15

TV mount

	Max. load (in kg)
TX	50

* Does not include load of TV mount

8. Scala colours & surfaces

Colour glass – glossy or satin



Metallic glass – glossy or satin




Fenix® – matt, soft touch & anti fingerprint



Design glass – glossy or satin

Exclusively available for top plates




Acoustic fabric flaps



Metal surfaces

Edge feet, stick feet, Bridge and Blade foot stands, handle bar and column TV mount.



Base colour
Edge foot, foot frame Bridge and Blade
BG Black

Base colour
Column TV mount, aluminum handle strip, Stick foot
BG Black and aluminum

Note on glass surfaces:
Glass is a product made from natural raw materials and is subject to variations in production technology. Depending on the inherent colour of the glass, glass thickness and lighting conditions, there may be colour differences between different glass surfaces.
Likewise, there may be deviations between glass samples in the specialized trade and the finished furniture. In the case of subsequent deliveries of glass surfaces, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.

Note on fabrics:
Fabrics are subject to production variations. Therefore, there may be colour differences between different fabric-related components. Likewise, there may be deviations between fabric samples in the specialist trade and the finished furniture. In the case of subsequent deliveries of fabric-related components, production- and batch-dependent colour differences are possible and do not constitute grounds for complaint.